

EU DECLARATION OF CONFORMITY

no DZUE/01/20/EN

1. Product model: annex to the EU declaration of conformity: **DZUE/01/20/EN**
2. Name and address of the manufacturer:
Karlik Elektrotechnik Sp. z o.o.
ul. Wrzesińska 29, 62-330 Nekla, Poland
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. Object of the declaration:
Installation switches swing, alternating current, flush-mounted, with or without illumination, with thread clamps, 10AX, 250V~, IP 20, series: DECO, ICON, MINI, FLEXI, TREND, LOGO, LIZA, JUNIOR, SENIOR.
5. The object of the declaration described is in conformity with the relevant Union harmonisation legislation:
DIRECTIVE 2014/35/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014
DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 June 2011
COMMISSION DELEGATED DIRECTIVE (EU) 2015/863 of 31 March 2015
6. Reference to the relevant standards used with the date of the norm or references to the other technical specifications in relation to which conformity is declared:
PN-EN 60669-1:2018-04 + AC:2020-04E - Switches for household and similar fixed-electrical installations. Part 1: General requirements
PN-E-93152:2018-05 - Common use installation switches - Flush-mounted switches for rated currents up to 16 A and rated voltage of 250 V. Mounting and overall dimensions
PN-EN IEC 63000:2019-01 - Technical documentation for the assessment of electrical and electronic products with regard to the limitation of hazardous substances

PRESIDENT OF THE BOARD


JERZY KARLIK

Nekla, 21.01.2023

The manufacturer reserves the right to update the document in the case of changes to the requirements of the Union harmonization legislation and standards.
Karlik Elektrotechnik Sp. z o.o. | ul. Wrzesińska 29 | 62-330 Nekla | T: +48 61 437 34 00 | F: +48 61 437 34 04 | karlik@karlik.pl
NIP: 7891451126 | REGON: 631086705 | KRS: 0000114252 | BDO: 000101390 | Sąd Rejonowy Poznań - Nowe Miasto i Wilda w Poznaniu IX Wydział Gospodarczy Krajowego Rejestru Sądowego | Kapitał zakładowy: 1 069 700,00 PLN (opłacony) | www.karlik.pl

ANNEX

TO THE EU DECLARATION OF CONFORMITY: **DZUE/01/20/EN**

DECO SERIES

Symbol	Note
...DWP-1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-3 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-3.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-4 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-5 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-6 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-6.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-66 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-66.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-7 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-33 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-33.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-8 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-8.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-88 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-88.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-9 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	

...DWP-10.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-10.11 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-10.2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-10.21 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-4.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-44.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-44.2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	

... - means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

ICON SERIES

Symbol	Note
...IWP-1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-3 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-3.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-4 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-5 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-6 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-6.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-6 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-6.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-7 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-33 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWP-33.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used

...IWP-8 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-8.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-88 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-88.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-9 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-10.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-10.11 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-10.2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWP-10.21 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWP-4.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-44.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-44.2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

MINI SERIES

Symbol	Note
...MWP-1 + (...MR-x)	
...MWP-2 + (...MR-x)	
...MWP-3 + (...MR-x)	
...MWP-3.1 + (...MR-x)	
...MWP-4 + (...MR-x)	
...MWP-5 + (...MR-x)	
...MWP-6 + (...MR-x)	
...MWP-6.1 + (...MR-x)	
...MWP-6 + (...MR-x)	Light module and sealant can't be used

...MWP-6.1 + (...MR-x)	Light module and sealant can't be used
...MWP-7 + (...MR-x)	Light module and sealant can't be used
...MWP-33 + (...MR-x)	Light module can't be used
...MWP-33.1 + (...MR-x)	Light module can't be used
...MWP-8 + (...MR-x)	Light module and sealant can't be used
...MWP-8.1 + (...MR-x)	Light module and sealant can't be used
...MWP-88 + (...MR-x)	Light module and sealant can't be used
...MWP-88.1 + (...MR-x)	Light module and sealant can't be used
...MWP-9 + (...MR-x)	
...MWP-10.1 + (...MR-x)	
...MWP-10.11 + (...MR-x)	
...MWP-10.2 + (...MR-x)	Light module can't be used
...MWP-10.21 + (...MR-x)	Light module can't be used
...MWP-4.1 + (...MR-x)	
...MWP-44.1 + (...MR-x)	
...MWP-44.2 + (...MR-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

FLEXI SERIES

Symbol	Note
...FWP-1	
...FWP-2	
...FWP-3	

...FWP-3.1	
...FWP-4	
...FWP-5	
...FWP-6	
...FWP-6.1	
...FWP-7	Light module and sealant can't be used
...FWP-33	Light module can't be used
...FWP-33.1	Light module can't be used
...FWP-8	Light module and sealant can't be used
...FWP-8.1	Light module and sealant can't be used
...FWP-88	Light module and sealant can't be used
...FWP-88.1	Light module and sealant can't be used
...FWP-9	
...FWP-10.1	
...FWP-10.11	
...FWP-10.2	Light module can't be used
...FWP-10.21	Light module can't be used
...FWP-4.1	
...FWP-44.1	
...FWP-44.2	

... – means the colour of the product

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

Symbol	Note
...WP-1 + (...RH-x or ...RV-x)	
...WP-2 + (...RH-x or ...RV-x)	
...WP-3 + (...RH-x or ...RV-x)	
...WP-3.1 + (...RH-x or ...RV-x)	
...WP-4 + (...RH-x or ...RV-x)	
...WP-5 + (...RH-x or ...RV-x)	
...WP-6 + (...RH-x or ...RV-x)	
...WP-6.1 + (...RH-x or ...RV-x)	
...WP-33 + (...RH-x or ...RV-x)	
...WP-33.1 + (...RH-x or ...RV-x)	
...WP-8 + (...RH-x or ...RV-x)	
...WP-8.1 + (...RH-x or ...RV-x)	
...WP-9 + (...RH-x or ...RV-x)	
...WP-10.1 + (...RH-x or ...RV-x)	
...WP-10.11 + (...RH-x or ...RV-x)	
...WP-1L + (...RH-x or ...RV-x)	
...WP-2L + (...RH-x or ...RV-x)	
...WP-3L + (...RH-x or ...RV-x)	
...WP-3L.1 + (...RH-x or ...RV-x)	
...WP-4L + (...RH-x or ...RV-x)	
...WP-5L + (...RH-x or ...RV-x)	
...WP-6L + (...RH-x or ...RV-x)	
...WP-6L.1 + (...RH-x or ...RV-x)	
...WP-9L + (...RH-x or ...RV-x)	
...WP-10L + (...RH-x or ...RV-x)	
...WP-10L.11 + (...RH-x or ...RV-x)	
...WP-4.1 + (...RH-x or ...RV-x)	
...WP-44.1 + (...RH-x or ...RV-x)	

...WP-44.2 + (...RH-x or ...RV-x)

... – means the colour of the product

x – means the multiplicity of the frame design

L – means backlight

These products are not airtight (IP44).

LOGO SERIES

Symbol	Note
...LWP-1 + (...LRH-x or ...LRV-x)	
...LWP-2 + (...LRH-x or ...LRV-x)	
...LWP-3 + (...LRH-x or ...LRV-x)	
...LWP-3.1 + (...LRH-x or ...LRV-x)	
...LWP-4 + (...LRH-x or ...LRV-x)	
...LWP-5 + (...LRH-x or ...LRV-x)	
...LWP-6 + (...LRH-x or ...LRV-x)	
...LWP-6.1 + (...LRH-x or ...LRV-x)	
...LWP-33 + (...LRH-x or ...LRV-x)	
...LWP-33.1 + (...LRH-x or ...LRV-x)	
...LWP-8 + (...LRH-x or ...LRV-x)	
...LWP-8.1 + (...LRH-x or ...LRV-x)	
...LWP-9 + (...LRH-x or ...LRV-x)	
...LWP-10.1 + (...LRH-x or ...LRV-x)	
...LWP-10.11 + (...LRH-x or ...LRV-x)	
...LWP-1 L + (...LRH-x or ...LRV-x)	
...LWP-2 L + (...LRH-x or ...LRV-x)	
...LWP-3 L + (...LRH-x or ...LRV-x)	
...LWP-3 L .1 + (...LRH-x or ...LRV-x)	
...LWP-4 L + (...LRH-x or ...LRV-x)	
...LWP-5 L + (...LRH-x or ...LRV-x)	
...LWP-6 L + (...LRH-x or ...LRV-x)	

...LWP-6L.1 + (...LRH-x or ...LRV-x)	
...LWP-9L + (...LRH-x or ...LRV-x)	
...LWP-10L.1 + (...LRH-x or ...LRV-x)	
...LWP-10L.11 + (...LRH-x or ...LRV-x)	
...LWP-4.1 + (...LRH-x or ...LRV-x)	
...LWP-44.1 + (...LRH-x or ...LRV-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

L – means backlight

These products are not airtight (IP44).

LIZA SERIES

Symbol	Note
...WPT-1	
...WPT-2	
...WPT-3	
...WPT-4	
...WPT-5	
...WPT-6	
...WPT-7	
...WPT-1L	
...WPT-2L	
...WPT-3L	
...WPT-4L	
...WPT-5L	
...WPT-6L	
...WPH-1	IP44
...WPH-2	IP44
...WPH-3	IP44
...WPH-4	IP44

...WPH-5	IP44
...WPH-6	IP44

... – means the colour of the product

L – means backlight