


## EU DECLARATION OF CONFORMITY

no DZUE/01/20/EN

1. Product model: annex to the EU declaration of conformity: **DZUE/01/20/EN**
2. Name and address of the manufacturer:  
**Karlik Elektrotechnik Sp. z o.o.**  
**ul. Wrzesińska 29, 62-330 Nekla, Poland**
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. Object of the declaration:  
**Installation switches swing, alternating current, flush-mounted, with or without illumination, with thread clamps, 10AX, 250V~, IP 20, series: DECO, ICON, MINI, FLEXI, TREND, LOGO, LIZA, JUNIOR, SENIOR.**
5. The object of the declaration described is in conformity with the relevant Union harmonisation legislation:  
**DIRECTIVE 2014/35/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014**  
**DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 June 2011**  
**COMMISSION DELEGATED DIRECTIVE (EU) 2015/863 of 31 March 2015**
6. Reference to the relevant standards used with the date of the norm or references to the other technical specifications in relation to which conformity is declared:  
**PN-EN 60669-1:2018-04 + AC:2020-04E** - Switches for household and similar fixed-electrical installations. Part 1: General requirements  
**PN-E-93152:2018-05** - Common use installation switches - Flush-mounted switches for rated currents up to 16 A and rated voltage of 250 V. Mounting and overall dimensions  
**PN-EN IEC 63000:2019-01** - Technical documentation for the assessment of electrical and electronic products with regard to the limitation of hazardous substances

Karlik Elektrotechnik Sp. z o.o.  
ul. Wrzesińska 29 62-330 Nekla  
+48 61 437 34 00 karlik@karlik.pl  
NIP: 789 145 11 26 REGON: 631086705  
KRS: 0000114252 BDO: 000101390

PRESIDENT OF THE BOARD



**JERZY KARLIK**

Nekla, 21.05.2024

The manufacturer reserves the right to update the document in the case of changes to the requirements of the Union harmonization legislation and standards.

Karlik Elektrotechnik Sp. z o.o. | ul. Wrzesińska 29 | 62-330 Nekla | T: +48 61 437 34 00 | F: +48 61 437 34 04 | karlik@karlik.pl  
NIP: 7891451126 | REGON: 631086705 | KRS: 0000114252 | BDO: 000101390 | Sąd Rejonowy Poznań - Nowe Miasto i Wilda  
w Poznaniu IX Wydział Gospodarczy Krajowego Rejestru Sądowego | Kapitał zakładowy: 1 069 700,00 PLN (opłacony) | [www.karlik.pl](http://www.karlik.pl)

## ANNEX

TO THE EU DECLARATION OF CONFORMITY: **DZUE/01/20/EN**

### DECO SERIES

Symbol	Note
...DWP-1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-3 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-3.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-4 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-5 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-6 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-6.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-66 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-66.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-7 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-33 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-33.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-8 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-8.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-88 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-88.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module and sealant can't be used
...DWP-9 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	

...DWP-10.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-10.11 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-10.2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-10.21 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWP-4.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-44.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWP-44.2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	

... - means the colour of the product

x - means the multiplicity of the frame design

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

## ICON SERIES

Symbol	Note
...IWP-1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-3 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-3.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-4 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-5 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-6 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-6.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-6 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-6.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-7 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-33 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWP-33.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used

...IWP-8 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-8.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-88 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-88.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module and sealant can't be used
...IWP-9 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-10.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-10.11 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-10.2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWP-10.21 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWP-4.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-44.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWP-44.2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

## MINI SERIES

Symbol	Note
...MWP-1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-2 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-3 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-3.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-4 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-5 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-6 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-6.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-6 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used

...MWP-6.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used
...MWP-7 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used
...MWP-33 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module can't be used
...MWP-33.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module can't be used
...MWP-8 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used
...MWP-8.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used
...MWP-88 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used
...MWP-88.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module and sealant can't be used
...MWP-9 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-10.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-10.11 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-10.2 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module can't be used
...MWP-10.21 + (...MR-x or ...MRTO-x or ...MRTZ-x)	Light module can't be used
...MWP-4.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-44.1 + (...MR-x or ...MRTO-x or ...MRTZ-x)	
...MWP-44.2 + (...MR-x or ...MRTO-x or ...MRTZ-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

## FLEXI SERIES

Symbol	Note
...FWP-1	
...FWP-2	
...FWP-3	



...FWP-3.1	
...FWP-4	
...FWP-5	
...FWP-6	
...FWP-6.1	
...FWP-7	Light module and sealant can't be used
...FWP-33	Light module can't be used
...FWP-33.1	Light module can't be used
...FWP-8	Light module and sealant can't be used
...FWP-8.1	Light module and sealant can't be used
...FWP-88	Light module and sealant can't be used
...FWP-88.1	Light module and sealant can't be used
...FWP-9	
...FWP-10.1	
...FWP-10.11	
...FWP-10.2	Light module can't be used
...FWP-10.21	Light module can't be used
...FWP-4.1	
...FWP-44.1	
...FWP-44.2	

... – means the colour of the product

The above products are also available in an illuminated and airtight version (IP44), L-1 / L-2 backlight module and U-1 sealant have to be purchased for this purpose.

Symbol	Note
...WP-1 + (...RH-x or ...RV-x)	
...WP-2 + (...RH-x or ...RV-x)	
...WP-3 + (...RH-x or ...RV-x)	
...WP-3.1 + (...RH-x or ...RV-x)	
...WP-4 + (...RH-x or ...RV-x)	
...WP-5 + (...RH-x or ...RV-x)	
...WP-6 + (...RH-x or ...RV-x)	
...WP-6.1 + (...RH-x or ...RV-x)	
...WP-33 + (...RH-x or ...RV-x)	
...WP-33.1 + (...RH-x or ...RV-x)	
...WP-8 + (...RH-x or ...RV-x)	
...WP-8.1 + (...RH-x or ...RV-x)	
...WP-9 + (...RH-x or ...RV-x)	
...WP-10.1 + (...RH-x or ...RV-x)	
...WP-10.11 + (...RH-x or ...RV-x)	
...WP-1L + (...RH-x or ...RV-x)	
...WP-2L + (...RH-x or ...RV-x)	
...WP-3L + (...RH-x or ...RV-x)	
...WP-3L.1 + (...RH-x or ...RV-x)	
...WP-4L + (...RH-x or ...RV-x)	
...WP-5L + (...RH-x or ...RV-x)	
...WP-6L + (...RH-x or ...RV-x)	
...WP-6L.1 + (...RH-x or ...RV-x)	
...WP-9L + (...RH-x or ...RV-x)	
...WP-10L + (...RH-x or ...RV-x)	
...WP-10L.11 + (...RH-x or ...RV-x)	
...WP-4.1 + (...RH-x or ...RV-x)	
...WP-44.1 + (...RH-x or ...RV-x)	

...WP-44.2 + (...RH-x or ...RV-x)	
-----------------------------------	--

... – means the colour of the product

x – means the multiplicity of the frame design

**L** – means backlight

These products are not airtight (IP44).

## LOGO SERIES

Symbol	Note
...LWP-1 + (...LRH-x or ...LRV-x)	
...LWP-2 + (...LRH-x or ...LRV-x)	
...LWP-3 + (...LRH-x or ...LRV-x)	
...LWP-3.1 + (...LRH-x or ...LRV-x)	
...LWP-4 + (...LRH-x or ...LRV-x)	
...LWP-5 + (...LRH-x or ...LRV-x)	
...LWP-6 + (...LRH-x or ...LRV-x)	
...LWP-6.1 + (...LRH-x or ...LRV-x)	
...LWP-33 + (...LRH-x or ...LRV-x)	
...LWP-33.1 + (...LRH-x or ...LRV-x)	
...LWP-8 + (...LRH-x or ...LRV-x)	
...LWP-8.1 + (...LRH-x or ...LRV-x)	
...LWP-9 + (...LRH-x or ...LRV-x)	
...LWP-10.1 + (...LRH-x or ...LRV-x)	
...LWP-10.11 + (...LRH-x or ...LRV-x)	
...LWP-1 <b>L</b> + (...LRH-x or ...LRV-x)	
...LWP-2 <b>L</b> + (...LRH-x or ...LRV-x)	
...LWP-3 <b>L</b> + (...LRH-x or ...LRV-x)	
...LWP-3 <b>L</b> .1 + (...LRH-x or ...LRV-x)	
...LWP-4 <b>L</b> + (...LRH-x or ...LRV-x)	
...LWP-5 <b>L</b> + (...LRH-x or ...LRV-x)	
...LWP-6 <b>L</b> + (...LRH-x or ...LRV-x)	



...LWP-6 <b>L</b> .1 + (...LRH-x or ...LRV-x)	
...LWP-9 <b>L</b> + (...LRH-x or ...LRV-x)	
...LWP-10 <b>L</b> .1 + (...LRH-x or ...LRV-x)	
...LWP-10 <b>L</b> .11 + (...LRH-x or ...LRV-x)	
...LWP-4.1 + (...LRH-x or ...LRV-x)	
...LWP-44.1 + (...LRH-x or ...LRV-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

**L** – means backlight

These products are not airtight (IP44).

## LIZA SERIES

Symbol	Note
...WPT-1	
...WPT-2	
...WPT-3	
...WPT-4	
...WPT-5	
...WPT-6	
...WPT-7	
...WPT-1 <b>L</b>	
...WPT-2 <b>L</b>	
...WPT-3 <b>L</b>	
...WPT-4 <b>L</b>	
...WPT-5 <b>L</b>	
...WPT-6 <b>L</b>	
...WPH-1	IP44
...WPH-2	IP44
...WPH-3	IP44
...WPH-4	IP44

...WPH-5	IP44
...WPH-6	IP44

... – means the colour of the product

L – means backlight